

2023 Flame Collection



TABLE OF CONTENTS

Flame Connect App	2	Log Sets & Inserts	40
Linear Electric Fireplaces		Mantels	
NEW! IgniteXL® Bold	3-6	Featherston	42
IgniteXL®	7-9	Fieldstone	43
NEW! Multi-Fire® SL Series	10-12	Jean	44
Sierra Series	13-14	Royce	45
Opti-V	15-16		
Specifications	17	Ordering SKU Index	46
Direct-wire Fireboxes			
Revillusion®	18-21		
BF Series	22-24		
Plug-in Fireboxes			
DF Series	25-26		
Multi-Fire XHD™	27-29		
Multi-Fire XD®	30		
Specifications	31		
Water Vapor Fireboxes			
NEW! Opti-myst® Linear	32-34		
Opti-myst® Pro 1500	35		
Opti-myst® Pro 1000	36		
Opti-myst® Pro Accessories	37		
Opti-myst® Cassettes	38		
Opti-myst® Cassettes Accessories	39		



Dimplex is the feeling you get when you hit the snooze button and stay under the covers a few minutes longer. It's the comfort found in the moments that matter, like when the kids are down and your feet go up. Our products are the gathering place and focal point that rooms are built around. So whether it's a living room or hotel lobby, bathroom retreat or spa, we can help you design the right comfort solution to create those perfect moments.

We are leaders in design and innovation; continually challenging the status quo on a global scale to create products for the discriminating buyer. Our dozens of patented technologies translate to fireplaces that dazzle the senses and heaters that make spaces more efficient and comfortable no matter what the need.

Whether a residential or commercial space, we design fireplaces that make a style statement. You will appreciate the energy efficiency and treading a little lighter with your eco-footprint, but at the end of the day it's the deep breath that comes naturally when you relax in front of a fireplace.



Welcome to Flame Connect

Control your electric fireplaces,
from the palm of your hand.



Connect your electric fireplaces

Add as many fireplaces as you like
to the Flame Connect App.



Personalize your product

Change modes and settings on
your fireplace to suit your mood.




Secure your device

Take ownership of a product to
prevent unauthorized access.

NEW! Flame Connect app

Download the Flame Connect app on your mobile device and create an account. With the app you can add an extra level of personalization, such as saving customized mood settings.


- Sleep timer automatically shuts the fireplace off after a set amount of time
- User manual with help and FAQ feature
- Updates, alerts, and user notifications



- Control your fireplaces from one convenient spot



- Temperature can be adjusted to show values in °F and °C



- Use the color picker to personalize with unlimited custom colors

- With the app you can adjust the flame brightness and speed beyond the remote technology
- Create and save favorite customized moods
- Guest mode

Note: App features may vary depending on product.

For additional information,
visit dimplex.com/fcapp

Available in the App Store and
Google Play



IgniteXL® Bold

NEW!

Design to impress with the IgniteXL® Bold Linear Electric Fireplace. This modern, built-in fireplace creates the illusion of incredible depth, while advanced controls maximize enjoyment and allow you to add your own personalized touch. With industry leading flexible installation options in one design; or make a bold statement and connect multiple units together for a grand, modern masterpiece.

IgniteXL® Bold

Multi-Fire® XD Flame Effect

Vivid flames that are brighter and more lifelike day or night, featuring a multi-layered color effects creating a sense of depth


Bigger, Better Viewing

Elevate fireplace enjoyment with an impressive 16" (40.6 cm) high viewing area

Modular Installation

Use the linking kit and combine multiple units in a series to achieve your desired length

NEW!



XLF5017-XD
50" Linear Electric Firebox

Product Dimensions
with trim (WxHxD)
50-1/2" x 23-7/8" x 12-1/4"
128.3 cm x 60.6 cm x 31.1 cm

Carton Dimensions (WxHxD)
55-3/8" x 28-5/8" x 16-3/4"
140.7 cm x 72.7 cm x 42.5 cm

Packaged Weight
121.9 lbs / 55.3 kg

UPC
781052137226



XLF6017-XD
60" Linear Electric Firebox

Product Dimensions
with trim (WxHxD)
63-1/8" x 23-7/8" x 12-1/4"
160.3 cm x 60.6 cm x 31.1 cm

Carton Dimensions (WxHxD)
68-3/8" x 28-5/8" x 16-3/4"
173.7 cm x 72.7 cm x 42.5 cm

Packaged Weight
147.7 lbs / 67.0 kg

UPC
781052137233



XLF7417-XD
74" Linear Electric Firebox

Product Dimensions
with trim (WxHxD)
75-5/8" x 23-7/8" x 12-1/4"
192.1 cm x 60.6 cm x 31.1 cm

Carton Dimensions (WxHxD)
80-1/4" x 28-5/8" x 16-3/4"
203.8 cm x 72.7 cm x 42.5 cm

Packaged Weight
171.5 lbs / 77.8 kg

UPC
781052137257



XLF8817-XD
88" Linear Electric Firebox

Product Dimensions
with trim (WxHxD)
88-1/4" x 23-7/8" x 12-1/4"
224.2 cm x 60.6 cm x 31.1 cm

Carton Dimensions (WxHxD)
93-1/4" x 28-5/8" x 16-3/4"
236.9 cm x 72.7 cm x 42.5 cm

Packaged Weight
179.7 lbs / 81.5 kg

UPC
781052137264



XLF10017-XD
100" Linear Electric Firebox

Product Dimensions
with trim (WxHxD)
100-3/4" x 23-7/8" x 12-1/4"
255.9 cm x 60.6 cm x 31.1 cm

Carton Dimensions (WxHxD)
105-1/2" x 28-5/8" x 16-3/4"
268.0 cm x 72.7 cm x 42.5 cm

Packaged Weight
223.3 lbs / 101.3 kg

UPC
781052137271



NEW! Flame Connect App
See page 2 for more details

IgniteXL® Bold

NEW!



Mood Themes



Flame Themes



Accessories (sold separately)



Plug Kit

XLFXDPLUG

UPC
781052139527




Linking Kit

XLFXDLINK

UPC
781052139503

Hidden Touch Controls



Mood-maker Remote



Flame Connect App



IgniteXL® Bold

Modular Installation

To get a dramatically oversized fireplace that makes a lasting impression, use the linking kit and combine multiple units in a series to achieve your desired length.


NEW!

Left

Shown with three - 60" units (XLF6017-XD) linked together and the left side panel removed for a corner and front viewing area.

Linking Kit

Use the linking kit and combine multiple units in a series to achieve your desired length



Front

Shown with three - 60" units



Right

Shown with three - 60" units



Bay

Shown with three - 60" units

IgniteXL®

IgniteXL® is our premium linear electric fireplace. Incredibly lifelike and visually stunning, IgniteXL transforms the look and feel of any room. Patented flame and heat technology, a simple, flexible installation, and flawless panoramic views - ignite the senses from any angle!

IgniteXL®

Less Frame, More Flame

Clean front face with minimal trim makes the dazzling flames the focal point

Multi-Fire XD® Flame Effect

Vivid flames that are brighter and more lifelike, day or night

Comfort\$aver® Heating System

Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft



XLF50 - IgniteXL® 50"

Product Dimensions (WxHxD)
50-3/8" x 15-5/8" x 5-7/8"
127.8 cm x 39.7 cm x 14.9 cm

Packaged Weight
73.9 lbs / 33.5 kg

Carton Dimensions (WxHxD)
56-3/8" x 21-1/4" x 12"
143.2 cm x 54.0 cm x 30.5 cm

UPC
781052098725



XLF60 - IgniteXL® 60"

Product Dimensions (WxHxD)
60-3/8" x 15-5/8" x 5-7/8"
153.2 cm x 39.7 cm x 14.9 cm

Packaged Weight
82 lbs / 37.2 kg

Carton Dimensions (WxHxD)
68-3/8" x 21-1/4" x 12"
173.7 cm x 54.0 cm x 30.5 cm

UPC
781052118478



XLF74 - IgniteXL® 74"

Product Dimensions (WxHxD)
74-3/8" x 15-5/8" x 5-7/8"
188.7 cm x 39.7 cm x 14.9 cm

Packaged Weight
104.7 lbs / 48.9 kg

Carton Dimensions (WxHxD)
80-3/8" x 21-1/4" x 12"
204.2 cm x 54.0 cm x 30.5 cm

UPC
781052098756



XLF100 - IgniteXL® 100"

Product Dimensions (WxHxD)
100-3/8" x 15-5/8" x 5-7/8"
254.8 cm x 39.7 cm x 14.9 cm

Packaged Weight
137.6 lbs / 62.4 kg

Carton Dimensions (WxHxD)
106-3/8" x 21-1/4" x 12"
270.2 cm x 54.0 cm x 30.5 cm

UPC
781052104594


IgniteXL®



Mood Themes



Accessories (sold separately)



Driftwood & River Rock Accessory Kit

Fireplace	Model #	UPC
XLF50	- LF50DWS-KIT	781052102842
XLF60	- LF74DWS-KIT	781052102859
XLF74	- LF74DWS-KIT	781052102859
XLF100	- LF100DWS-KIT	781052104617

Hidden Touch Controls



Metal Trim Kit

Allows for installation into 2" x 4" wall construction

Fireplace	Model #	UPC
XLF50	- XLFTRIM50	781052107953
XLF60	- XLFTRIM60	781052120075
XLF74	- XLFTRIM74	781052107977
XLF100	- XLFTRIM100	781052107984

Mood-maker Remote




Plug Kit (included)



Multi-Fire® SL Series

A red, rounded rectangular badge with the word 'NEW!' in white, bold, sans-serif capital letters.

NEW!

A photograph of a modern interior featuring a slim linear electric fireplace. The fireplace is a black rectangular unit mounted on a wall of large, grey, textured stone tiles. It displays a vibrant, multi-colored flame effect in shades of orange, yellow, and blue. To the left of the fireplace, a white ceramic bowl holds two wooden-handled brushes, and a small green plant sits on a dark surface in the foreground. To the right, a large window with white horizontal blinds looks out onto a green garden. In front of the window, a rustic wooden stump serves as a side table, holding a small red bottle and a white candle. The overall atmosphere is contemporary and sophisticated.

With an incredibly shallow depth the Slim Linear allows builders, designers, property managers and homeowners to incorporate a stylish Linear fireplace where space is limited. This Slim Linear electric fireplace sits flush with 2"x4" exterior framing, making this a game-changing and industry exclusive design.

Multi-Fire® SL Series

Multi-Fire® SL Flame Effect

Large, high-contrast flames feature a multi-layered color effect that creates a sense of depth


Comfort\$aver® Heating System

Safe concealed ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.

Slim Design

Installs flush into a 2" x 4" wall for a seamless look or can be wall mounted (bracket included) for quick and easy installation

NEW!



PLF3614-XS - 36" Slim Linear Electric Fireplace

Product Dimensions (WxHxD)
37-1/4" x 19-5/8" x 3-7/8"
94.6 cm x 49.7 cm x 9.8 cm

Carton Dimensions (WxHxD)
46-1/4" x 24-5/8" x 9-1/2"
117.5 cm x 62.5 cm x 24.1 cm

Packaged Weight
57.8 lbs / 26.2 kg

UPC
781052137318



PLF4214-XS - 42" Slim Linear Electric Fireplace

Product Dimensions (WxHxD)
43-1/4" x 19-5/8" x 3-7/8"
109.9 cm x 49.7 cm x 9.8 cm

Carton Dimensions (WxHxD)
52" x 24-5/8" x 9-1/2"
132.1 cm x 62.5 cm x 24.1 cm

Packaged Weight
64.8 lbs / 29.4 kg

UPC
781052137301



PLF5014-XS - 50" Slim Linear Electric Fireplace

Product Dimensions (WxHxD)
51-1/4" x 19-5/8" x 3-7/8"
130.2 cm x 49.7 cm x 9.8 cm

Carton Dimensions (WxHxD)
60" x 24-5/8" x 9-1/2"
152.5 cm x 62.5 cm x 24.1 cm

Packaged Weight
74.8 lbs / 33.95 kg

UPC
781052137295



PLF6014-XS - 60" Slim Linear Electric Fireplace

Product Dimensions (WxHxD)
61-1/4" x 19-5/8" x 3-7/8"
155.6 cm x 49.7 cm x 9.8 cm

Carton Dimensions (WxHxD)
70" x 24-5/8" x 9-1/2"
177.8 cm x 62.5 cm x 24.1 cm

Packaged Weight
87.1 lbs / 39.5 kg

UPC
781052137288




NEW! Flame Connect App
See page 2 for more details

Multi-Fire® SL Series



Mood Themes



Flame Themes



Accessories (sold separately)



Plug Kit
PLFXSPLUG

UPC
781052139534


Multi-function Remote



Flame Connect App



Hidden Touch Controls (F° or C°)



Sierra Series



The Sierra linear fireplace series is the perfect solution for any space. With three installation options - built-in, wall-mount or table top stand, you will never have a problem finding the right place for it. Use the interchangeable media bed options to change the look and feel any time, and rotate the color of the ember bed and flames to add a pop of color. Create that cozy feeling with the touch of a button.

Sierra Series

Flame Effect


High-contrast flames feature, improved brightness and character for a dazzling, lifelike effect

Interchangeable Media Bed

Enhance any space in your home with the customizable media bed by choosing between the four included options – large/small crystals, logs or pebbles

Media Accent Colors

Alternate between eight flame/ember bed colors



SIL48 - 48" Linear Electric Fireplace

Product Dimensions, without stand (WxHxD)
48" x 19-1/2" x 5-1/4"
121.9 cm x 49.5 cm x 13.2 cm

Carton Dimensions (WxHxD)
53-3/8" x 22-7/8" x 9-5/8"
135.6 cm x 57.9 cm x 24.4 cm

Packaged Weight UPC
59.1 lbs / 26.8 kg 781052132733




SIL60 - 60" Linear Electric Fireplace

Product Dimensions, without stand (WxHxD)
60" x 19-1/2" x 5-1/4"
152.4 cm x 49.5 cm x 13.2 cm

Carton Dimensions (WxHxD)
65-3/4" x 23-1/2" x 9-5/8"
167.0 cm x 62.0 cm x 24.4 cm

Packaged Weight UPC
87.1 lbs / 39.5 kg 781052132757




SIL72 - 72" Linear Electric Fireplace

Product Dimensions, without stand (WxHxD)
72" x 19-1/2" x 5-1/4"
182.9 cm x 49.5 cm x 13.2 cm


Carton Dimensions (WxHxD)
77-3/4" x 24-3/4" x 9-5/8"
197.5 cm x 62.0 cm x 24.4 cm

Packaged Weight UPC
100.3 lbs / 45.5 kg 781052132764

Flame Themes



Interchangeable Media Options



Logs

Small
Crystals

Large
Crystals

Pebbles



Included stand allows for tabletop installation.
Product with stand 21-1/5" (54.6 cm) tall, depth 11" (27.9 cm)

Opti-V™



Opti-V™ uses unprecedented technology to render flames and sparks for a virtual fireplace experience like no other. The unique design combines ultra realistic flickering flames with three dimensional LED logs that sporadically spark and crackle! The perfect blend of magic and realism - Opti-V™ is the most unbelievable flame effect yet.

Opti-V™

Opti-V™ Flame Effect


High definition video and a patented three-dimensional illusion creates dazzling flames that flicker between the logs

Heat-free Operation

Designed with the sole purpose of providing a stunning visual flame feature

Sight and Sound Remote

Turn on the flames and crackling sound effects at the touch of a button



VF2927L
Opti-V™ Solo

Product Dimensions (WxHxD)
30" x 17-3/4" x 14"
76.0 cm x 45.0 cm x 35.5 cm

Carton Dimensions (WxHxD)
33-7/8" x 22-1/8" x 17-3/4"
86.0 cm x 56.0 cm x 45.0 cm

Packaged Weight
62.7 lbs / 28.5 kg

UPC
781052092877



VF5452L
Opti-V™ Duet

Product Dimensions (WxHxD)
54-3/8" x 17-3/4" x 14"
138.0 cm x 45.0 cm x 35.5 cm

Carton Dimensions (WxHxD)
62-1/4" x 22-1/8" x 17-3/4"
158.0 cm x 56.0 cm x 45.0 cm

Packaged Weight
115.5 lbs / 52.5 kg

UPC
781052092853

Specifications

Firebox Series	IgniteXL® Bold Series	IgniteXL® Series	Multi-Fire SL Series	Sierra Series	Opti-V™ Series
Size	50", 60", 74", 88", 100"	50", 60", 74", 100"	36", 42", 50", 60"	48", 60", 72"	Solo, Duet
Media	Driftwood, Acrylic Ice	Acrylic Ice	Acrylic Ice	Interchangeable - Logs, Crystals, Pebbles	Logs - High Definition Video
Mood Themes	7	4	5	8	
Media Brightness	•	•	•	•	
Flame Themes	7	1	7	8	
Flame Technology	Multi-Fire® XD Flame Effect	Multi-Fire® XD Flame Effect	Multi-Fire® SL Flame Effect	High contrast	Opti-V™ Flame Effect
Flame Brightness	•		•	•	
Flame Only Mode	•	•	•	•	Flame Only Operation
Heater Only Mode	•	•	•	Heat only mode with ember bed lit	
Heat Operation	ComfortSaver	ComfortSaver	Powerful Supplemental Heating	Powerful Supplemental Heating	Heat-free Operation Only
Heating Range	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	
Heat Disable	Onboard controls or hardwire disconnect	Onboard controls or hardwire disconnect	Onboard controls or hardwire disconnect	Onboard controls	
Light Settings					
Built-in Thermostat	•	•	•	•	
Wiring Type	Direct-wire, optional plug-kit sold separately	Direct-wire, optional plug-kit included	Direct-wire, optional plug-kit sold separately	Plug-in	Direct-wire
Volts	120 240	120 240	120	120	120 240
Watts	1500 2500	1500 2500	1500	1400	32
BTU	5000 8530	5118 8530	5000	4777	
Display Option	Modular, Fully recessed, Partially recessed	Fully recessed - 2x6 Partially recessed, 2x4 with trim-kit accessory	On-wall, 2x4 Fully recessed	Fully recessed, Wall-mount, Free-standing	Fully recessed
Display	•	•	•	•	
Manual Controls	Hidden Touch Controls	Hidden Touch Controls	Hidden Touch Controls	Hidden Touch Controls	Membrane controls
Timer	•	•	•	•	
Optional Accessories	•	•	•		
Remote Control	•	•	•	•	•
Warranty	5-Year Parts and Service	5-Year Parts and Service	2-Year Parts and Service	1-Year Parts	2-Year Parts and Service

Revillusion®

Revillusion® is a completely new way of looking at fireplaces, and elevates the standard for electric. Using patented ThruView™ technology, Revillusion lets you look through the lifelike flames to the full depth of the interior - a first of its kind among electric fireplaces. The technology is impressive and the ambiance is serene. Enjoy the look of a fireplace cut straight from the pages of a magazine with Revillusion, clearly a better fireplace.

Revillusion®

Revillusion® Flame Technology


Flames are large, bright and more random, appearing from within the logs

ThruView™ Full-depth Design

See clear through the flames to the back of the firebox for a more authentic experience

Ambient Light Sensor

Automatically adjusts firebox light to suit the room day or night



Also available in
Herringbone



RBF24DLXWC
24" Electric Firebox

Product Dimensions (WxHxD)
25-1/4" x 22-7/8" x 12-1/8"
61.6 cm x 58.1 cm x 30.8 cm

Carton Dimensions (WxHxD)
29-3/8" x 28-1/8" x 16-3/8"
74.4 cm x 71.2 cm x 41.6 cm

Packaged Weight
58.2 lbs / 26.4 kg

UPC
781052129832



RBF30WC
30" Electric Firebox

Product Dimensions (WxHxD)
31-1/4" x 26-5/8" x 12-1/8"
79.2 cm x 67.6 cm x 30.8 cm

Carton Dimensions (WxHxD)
35-1/4" x 31-5/8" x 15"
89.8 cm x 80.4 cm x 38.2 cm

Packaged Weight
67.7 lbs / 30.7 kg

UPC
781052129849



RBF36WC
36" Electric Firebox

Product Dimensions (WxHxD)
37-1/4" x 26-5/8" x 12-1/8"
94.4 cm x 67.6 cm x 30.8 cm

Carton Dimensions (WxHxD)
41-1/4" x 31-7/8" x 15-1/4"
104.6 cm x 81.0 cm x 38.7 cm

Packaged Weight
74.9 lbs / 34.0 kg

UPC
781052129856



RBF36PWC
36" Electric Firebox - Portrait

Product Dimensions (WxHxD)
37-1/4" x 31" x 12-1/8"
94.4 cm x 78.8 cm x 30.8 cm

Carton Dimensions (WxHxD)
41-1/4" x 35-7/8" x 15-1/4"
104.7 cm x 91.2 cm x 38.6 cm

Packaged Weight
81.1 lbs / 36.8 kg

UPC
781052129863



RBF42WC
42" Electric Firebox

Product Dimensions (WxHxD)
43-1/4" x 31" x 12-1/8"
109.8 cm x 78.8 cm x 30.8 cm

Carton Dimensions (WxHxD)
47-1/2" x 35-7/8" x 15"
120.6 cm x 91.2 cm x 38.2 cm

Packaged Weight
88.6 lbs / 40.2 kg

UPC
781052129887

Revillusion®

Revillusion® Flame Technology


Flames are large, bright and more random, appearing from within the logs

ThruView™ Full-depth Design

See clear through the flames to the back of the firebox for a more authentic experience

Ambient Light Sensor

Automatically adjusts firebox light to suit the room day or night



Also available in
Weathered Concrete



RBF24DLX
24" Electric Firebox

Product Dimensions (WxHxD)
25-1/4" x 22-7/8" x 12-1/8"
61.6 cm x 58.1 cm x 30.8 cm

Carton Dimensions (WxHxD)
29-3/8" x 28-1/8" x 16-3/8"
74.4 cm x 71.2 cm x 41.6 cm

Packaged Weight
58.2 lbs / 26.4 kg

UPC
781052120655



RBF30
30" Electric Firebox

Product Dimensions (WxHxD)
31-1/4" x 26-5/8" x 12-1/8"
79.2 cm x 67.6 cm x 30.8 cm

Carton Dimensions (WxHxD)
35-1/4" x 31-3/4" x 16-3/8"
89.4 cm x 80.5 cm x 41.1 cm

Packaged Weight
84.2 lbs / 38.2 kg

UPC
781052104747



RBF36
36" Electric Firebox

Product Dimensions (WxHxD)
37-1/4" x 26-5/8" x 12-1/8"
94.4 cm x 67.6 cm x 30.8 cm

Carton Dimensions (WxHxD)
41-3/8" x 31-7/8" x 16-3/8"
105.0 cm x 80.5 cm x 41.1 cm

Packaged Weight
92.9 lbs / 42.2 kg

UPC
781052104723



RBF36P
36" Electric Firebox - Portrait

Product Dimensions (WxHxD)
37-1/4" x 31" x 12-1/8"
94.4 cm x 78.8 cm x 30.8 cm

Carton Dimensions (WxHxD)
41-3/8" x 35-1/2" x 16-3/8"
105.0 cm x 90.7 cm x 41.1 cm

Packaged Weight
101.9 lbs / 46.2 kg

UPC
781052108165



RBF42
42" Electric Firebox

Product Dimensions (WxHxD)
43-1/4" x 31" x 12-1/8"
109.8 cm x 78.8 cm x 30.8 cm

Carton Dimensions (WxHxD)
47-1/2" x 36-1/2" x 16-3/8"
120.6 cm x 92.5 cm x 41.1 cm

Packaged Weight
111.9 lbs / 50.7 kg

UPC
781052104716

Revillusion® Accessories



Accessories (sold separately)




Glass Pane (Included with 24" models)

Model #	Firebox Size
RBFGLOSS30 UPC - 781052108004	30"
RBFGLOSS36 UPC - 781052108011	36"
RBFGLOSS36P UPC - 781052108028	36" Portrait
RBFGLOSS42 UPC - 781052108035	42"



Glass Door

Model #	Firebox Size
RBFDOR30 UPC - 781052108042	30"
RBFDOR36 UPC - 781052108059	36"
RBFDOR36P UPC - 781052108066	36" Portrait
RBFDOR42 UPC - 781052108073	42"



Installation Trims

Model #	Trim Width	Firebox Size
RBFL24TRIM36 UPC - 781052123595	36"	24"
RBFL24TRIM40 UPC - 781052123618	40"	24"
RBFL30TRIM38 UPC - 781052123625	38"	30"
RBFL30TRIM44 UPC - 781052123601	44"	30"



RBFLUG

120V power supply cord
* Included with 24" models

UPC
781052107656



Birch Log Set

Model #	Firebox Size
RBFL24BR UPC - 781052130005	24"
RBFL30BR UPC - 781052130012	30"
RBFL42BR UPC - 781052129993	36", 36"P or 42"



Fresh Cut Log Set

Model #	Firebox Size
RBFL24FC UPC - 781052129955	24"
RBFL30FC UPC - 781052129962	30"
RBFL42FC UPC - 781052129986	36", 36"P or 42"

BF Series



The BF Series fireboxes solve design challenges, add exceptional value, and look great doing it. Their exceptional versatility means they can be installed virtually anywhere, especially in locations and buildings that are impossible for a combustion fireplace. The BF Series offer realism that continues to set the bar in the industry and ensures that everyone.

BF Series

The Original Dimplex Flame Effect™

A blend of technology, artistry and craftsmanship that sets the standard for realism

Primary Heating

Connect to a 240 volt supply for up to 9,200 BTU, which is powerful enough to use for primary heating in some applications

Ease of Installation

Simply frame, wire and finish with the material of your choice for a custom fireplace that is also cost-effective



BFSL33
33" Slim Line Electric Firebox

Product Dimensions (WxHxD)
35-3/4" x 29-7/8" x 9-7/8"
90.7 cm x 75.8 cm x 25.0 cm

Carton Dimensions (WxHxD)
38-1/8" x 29-3/4" x 13-3/8"
96.8 cm x 75.4 cm x 33.8 cm

Packaged Weight
68 lbs / 30.9 kg

UPC
781052064478



BF33DXP
33" Deluxe Electric Firebox

Product Dimensions (WxHxD)
32-3/4" x 28-1/2" x 14-1/4"
83.2 cm x 73.5 cm x 36.2 cm

Carton Dimensions (WxHxD)
34-3/4" x 31-1/8" x 16-1/2"
88.0 cm x 79.0 cm x 42.0 cm

Packaged Weight
80 lbs / 36.4 kg

UPC
781052045781



BF39STP
39" Electric Firebox

Product Dimensions (WxHxD)
38-3/4" x 32-3/4" x 15-1/4"
98.4 cm x 83.2 cm x 38.7 cm

Carton Dimensions (WxHxD)
40" x 34-1/2" x 17-1/2"
101.6 cm x 87.6 cm x 44.5 cm

Packaged Weight
87 lbs / 39.5 kg

UPC
781052045798



BF39DXP
39" Deluxe Electric Firebox

Product Dimensions (WxHxD)
38-3/4" x 32-3/4" x 15-1/4"
98.4 cm x 83.2 cm x 38.7 cm

Carton Dimensions (WxHxD)
40" x 34-1/2" x 17-1/2"
101.6 cm x 87.6 cm x 44.5 cm

Packaged Weight
87 lbs / 39.5 kg

UPC
781052045804



BF45DXP
45" Deluxe Electric Firebox

Product Dimensions (WxHxD)
44-3/4" x 32-3/4" x 15-3/8"
113.7 cm x 83.2 cm x 38.8 cm

Carton Dimensions (WxHxD)
45-3/4" x 35-1/2" x 17-1/2"
116.3 cm x 90.3 cm x 44.5 cm

Packaged Weight
110 lbs / 50 kg

UPC
781052052390

BF Series Accessories




Accessories (sold separately)




Bi-fold Look Glass Door

Model #	Firebox
BFDOOR33BLKSM	BF33DXP UPC - 781052041233
BFDOOR39BLKSM	BF39STP & BF39DXP UPC - 781052041257
BFDOOR45BLKSM	BF45DXP UPC - 781052041271



Tamperproof Glass Door

Model #	Firebox
BFSL33DOOR	BFSL33 UPC - 781052063778
BFGGLASS33BLK	BF33DXP UPC - 781052044623
BFGGLASS39BLK	BF39STP & BF39DXP UPC - 781052044630
BFGGLASS45BLK	BF45DXP UPC - 781052044647



Swing Glass Door

Model #	Firebox
BFSDOOR33BLK	BF33DXP UPC - 781052044593
BFSDOOR39BLK	BF39STP & BF39DXP UPC - 781052044593



Trim Kit

Model #	Firebox
BF4TRIM33	BF33DXP UPC - 781052052932
BF4TRIM39	BF39STP & BF39DXP UPC - 781052052956
BF4TRIM45	BF45DXP UPC - 781052052970



BFPLUGE
Plug Kit, includes
7 ft. cord
UPC 781052040748



TS321W
Wall-mount
Thermostat
UPC 781052042407



BFRC-KIT
3-stage Remote
Control Kit (included
with BFSL33)

DF Series

The 33" plug-in electric firebox offers a widescreen electric 120 V firebox with thermostat controlled fan-forced heat. With our patented electric flame technology, the pulsating embers with hand finished logs offer incredible realism.

DF Series

The Original Dimplex Flame Effect™


A blend of technology, artistry and craftsmanship that sets the standard for realism

Supplemental Heating

A powerful fan-forced heater designed to keep the rooms you spend the most time in warm and comfortable

Patented Inner Glow Logs

Individually molded and hand-finished logs pulse and glow from within for the look of natural burning logs



DF3015
30" Plug-in Electric Firebox

Product Dimensions (WxHxD)
31-1/8" x 26-3/8" x 10-5/8"
79.7 cm x 67.0 cm x 26.8 cm

Carton Dimensions (WxHxD)
36" x 29" x 14"
91.4 cm x 73.7 cm x 35.6 cm

Gross Weight
74 lbs / 33.6 kg

UPC
78105043213



DF3033ST
33" Plug-in Electric Firebox

Product Dimensions (WxHxD)
33-1/8" x 23-3/8" x 9-5/8"
84.1 cm x 59.4 cm x 24.2 cm

Carton Dimensions (WxHxD)
37-1/4" x 27-5/8" x 13"
94.2 cm x 70.1 cm x 33.0 cm

Gross Weight
60.4 lbs / 27.5 kg

UPC
781052054271

Multi-Fire XHD™



The brilliant Multi-Fire® flame effect combined with a range of ambient light themes produce a soothing atmosphere. The XHD Series features intuitive multi-function control options with the added benefit of powerful heating. Create a unique, customizable fireplace that is sure to warm and impress in any space.

Multi-Fire XHD™

Multi-Fire XHD™ Flame Effect

High-contrast flames feature improved brightness and character for a dazzling, lifelike effect

Customizable Flame

The Multi-Fire technology allows you to adjust the speed of the flame to create the perfect atmosphere to suit your mood or room

Powerful Heating

Powerful fan-forced heater features a safe, ceramic element that provides on-demand heat for up to 1,000 sq. ft.

Also available in
Acrylic Ice



XHD23L
23" Multi-Fire XHD
Electric Firebox - Realogs

Product Dimensions (WxHxD)
23" x 20-1/2" x 7-1/2"
58.4 cm x 52.0 cm x 19.1 cm

Carton Dimensions (WxHxD)
25-5/8" x 24" x 10-5/8"
65.0 cm x 61.0 cm x 27.0 cm

Packaged Weight
28.2 lbs / 12.8 kg

UPC
781052115125



XHD26L
26" Multi-Fire XHD
Electric Firebox - Realogs

Product Dimensions (WxHxD)
26" x 18-7/8" x 7-1/2"
66.0 cm x 47.9 cm x 19.1 cm

Carton Dimensions (WxHxD)
28-1/2" x 22-3/8" x 10-5/8"
72.4 cm x 56.9 cm x 26.9 cm

Packaged Weight
30 lbs / 13.6 kg

UPC
781052110823



XHD28L
28" Multi-Fire XHD
Electric Firebox - Realogs

Product Dimensions (WxHxD)
27-3/8" x 23-1/2" x 7-1/2"
69.5 cm x 59.7 cm x 19.1 cm

Carton Dimensions (WxHxD)
30" x 26-7/8" x 11-1/8"
76.0 cm x 68.0 cm x 28.0 cm

Packaged Weight
35.5 lbs / 16.5 kg

UPC
781052110847



XHD33L
33" Multi-Fire XHD
Electric Firebox - Realogs

Product Dimensions (WxHxD)
33-1/8" x 23-1/4" x 7-1/2"
84.0 cm x 58.9 cm x 19.1 cm

Carton Dimensions (WxHxD)
35-5/8" x 26-7/8" x 11-1/8"
90.5 cm x 68.0 cm x 28.0 cm

Packaged Weight
36.5 lbs / 16.1 kg

UPC
781052131217

Multi-Fire XHD™

Multi-Fire XHD™ Flame Effect

High-contrast flames feature improved brightness and character for a dazzling, lifelike effect

Customizable Flame

The Multi-Fire technology allows you to adjust the speed of the flame to create the perfect atmosphere to suit your mood or room

Powerful Heating

Powerful fan-forced heater features a safe, ceramic element that provides on-demand heat for up to 1,000 sq. ft.

Also available in
Realogs®



XHD23G
23" Multi-Fire XHD
Electric Firebox - Realogs

Product Dimensions (WxHxD)
23" x 20-1/2" x 7-1/2"
58.4 cm x 52.0 cm x 19.1 cm

Carton Dimensions (WxHxD)
25-5/8" x 24" x 10-5/8"
65.0 cm x 61.0 cm x 27.0 cm

Packaged Weight
28.2 lbs / 12.8 kg

UPC
781052115118



XHD26G
26" Multi-Fire XHD
Electric Firebox - Realogs

Product Dimensions (WxHxD)
26" x 18-7/8" x 7-1/2"
66.0 cm x 47.9 cm x 19.1 cm

Carton Dimensions (WxHxD)
28-1/2" x 22-3/8" x 10-5/8"
72.4 cm x 56.9 cm x 26.9 cm

Packaged Weight
30 lbs / 13.6 kg

UPC
781052110816



XHD28G
28" Multi-Fire XHD
Electric Firebox - Realogs

Product Dimensions (WxHxD)
27-3/8" x 23-1/2" x 7-1/2"
69.5 cm x 59.7 cm x 19.1 cm

Carton Dimensions (WxHxD)
30" x 26-7/8" x 11-1/8"
76.0 cm x 68.0 cm x 28.0 cm

Packaged Weight
35.5 lbs / 16.5 kg

UPC
781052117907



XHD33G
33" Multi-Fire XHD
Electric Firebox - Realogs

Product Dimensions (WxHxD)
33-1/8" x 23-1/4" x 7-1/2"
84.0 cm x 58.9 cm x 19.1 cm

Carton Dimensions (WxHxD)
35-5/8" x 26-7/8" x 11-1/8"
90.5 cm x 68.0 cm x 28.0 cm

Packaged Weight
36.5 lbs / 16.1 kg

UPC
78105213122

Multi-Fire XD®

Multi-Fire XD™ Flame Effect


Vivid flames that are brighter and more lifelike compared to our previous firebox

Media Accent Colors

Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode

Comfort\$aver® Heating System

Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.



PF2325HG
25" Multi-Fire XD
Electric Firebox - Acrylic Ice

Product Dimensions (WxHxD)
 25-7/8" x 18-7/8" x 9-1/4"
 65.7 cm x 47.9 cm x 23.6 cm

Carton Dimensions (WxHxD)
 29-1/4" x 21-1/2" x 13-3/8"
 74.2 cm x 54.6 cm x 34.0 cm

Gross Weight
 40 lbs / 18.2 kg

UPC
 781052095014

Specifications

Firebox Series	Revillusion Deluxe	Revillusion	BFSL Series	BF Series	DF Series	PF Series	XHD Series
Size	24"	30", 36", 36"P, 42"	33"	33", 39", 45"	30", 33"	25"	23", 26", 28", 33"
Media	Realogs®		Inner Glow Logs	Inner Glow Logs	Inner Glow Logs	Acrylic Ice	Acrylic Ice, Realogs®
Inner Glow Logs	•	•	•	•	•	•	•
Media Color Settings	•	•				•	•
Interior Surround	Herringbone or Weathered Concrete Interior		Black	Black, Authentic brick-look interior	Brick-look Black/3D Mirror	Black	Black
Flame Technology	Revillusion® Flame		Original Dimplex Flame		Original Dimplex Flame	Multi-Fire XD™	Multi-Fire XHD™
Flame Speed	•				•		•
Flame Only Mode	•	•	•	•	•	•	•
Light Settings	Mood Lighting, Brightness and Flicker, Ambient Light Sensor				Adjustable brightness	Mood Lighting, Brightness and Flicker	Adjustable Brightness
Heat Operation	Comfort\$aver®	Primary Heat Option to use 240V supply for up to 9200 BTU			Supplemental Heat	Comfort\$aver®	Powerful Supplemental Heating
Heating Range	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 400 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.
Heater Only Mode	•	•	When connected to a switch or thermostat		•	•	•
Heater Element	Ceramic	Steel Sheathed	Steel Sheathed		Stitched Wire	Ceramic	Stitched Wire
Heat Disable	Onboard controls or hardware disconnect	Onboard controls or hardware disconnect	Hardware disconnect only	Hardware disconnect only	On remote control	Onboard controls	Onboard controls
Built-in Thermostat	•	•				•	•
Connects to a Wall Thermostat			•	•			
Wiring Type	Plug-in	Direct wire (optional plug kit)	Direct wire (optional plug kit)	Direct wire (optional plug kit)	Plug-in	Plug-in	Plug-in
Volts	120	120 / 208 / 240	120 / 208 / 240	120 / 208 / 240	120	120	120
Watts	1500	1375 / 1975 / 2575	1223 / 1823 / 2423	1440 / 2100 / 2700	780 1500	1500	1465
BTU	5118	4400 / 6745 / 8794	4173 / 6220 / 8267	4913 / 7165 / 9213	2660 5118	5118	5000
Display	•	•			On remote control	•	•
Onboard Controls	Hidden-Touch Controls	Hidden-Touch Controls	Toggle	Toggle	Toggle	Hidden-Touch Controls	Hidden-Touch Controls
Timer	•	•			•	•	•
Optional Accessories	•	•	•	•			XHD26/28G only
Remote Control	•	•	•		•	•	•
Warranty Include parts/service	2-year limited	2-year limited	2-year limited	2-year limited	5-year limited	1-year limited	2-year limited

Opti-Myst® Linear Series

NEW!



Enjoy a lifelike flame and smoke effect created by revolutionary ultrasonic technology using water vapor, making for the world's safest fireplace. The result is an appearance so authentic it will be mistaken for a traditional wood-burning fireplace.

Opti-Myst® Linear Series

Opti-myst® Flame Effect

Revolutionary ultrasonic technology produces a fine vapor to create the illusion of flames and smoke

Comfort\$aver® Heating System

Safe concealed ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.

Slim Design

A zero-clearance firebox with a slimmer 11-1/2" deep design

NEW!



OLF46-AM - Opti-myst 46" Linear Electric Fireplace

Product Dimensions (WxHxD)
47-1/2" x 31-1/2" x 11-7/8"
120.6 cm x 80.0 cm x 30.0 cm

Carton Dimensions (WxHxD)
50-3/8" x 34-3/8" x 15-1/2"
127.8 cm x 87.1 cm x 39.1 cm

Packaged Weight
150.3 lbs / 68.2 kg

UPC
781052136786



OLF66-AM - Opti-myst 66" Linear Electric Fireplace

Product Dimensions (WxHxD)
67-1/2" x 31-1/2" x 11-7/8"
171.4 cm x 80.0 cm x 30.0 cm

Carton Dimensions (WxHxD)
70-3/8" x 34-3/8" x 15-1/2"
178.6 cm x 87.1 cm x 39.1 cm

Packaged Weight
204.8 lbs / 92.9 kg

UPC
781052136793



OLF86-AM - Opti-myst 86" Linear Electric Fireplace

Product Dimensions (WxHxD)
87-1/2" x 31-1/2" x 11-7/8"
222.2 cm x 80.0 cm x 30.0 cm

Carton Dimensions (WxHxD)
90-3/8" x 34-3/8" x 15-1/2"
229.4 cm x 87.1 cm x 39.1 cm

Packaged Weight
264.5 lbs / 120 kg

UPC
781052136809

Opti-Myst® Linear Series Accessories



Flame Themes



Opti-myst Linear fireboxes includes Acrylic Ice and Driftwood media

Accessories (sold separately)



Plumb Kit
CDFIPLUMB-KIT
UPC
781052103221

Sight and Sound Remote



Flame Connect App



NEW! Flame Connect App
See page 2 for more details

Opti-myst® Pro 1500

Opti-myst® Flame Effect


Revolutionary ultrasonic technology produces a fine vapor to create the illusion of flames and smoke

Supplemental Heat

Includes a robust fan-forced heater to warm up to 400 sq. ft

Single or Double-sided

Removable back panel makes converting to see-through easy (glass sold separately)



GBF1500-PRO 60" Built-In Electric Firebox Kit

Includes the following:
(Ships in 4 cartons)



* Above image shows product used with rear glass, sold separately, see page 36

CDFI-BX1500 Opti-myst Pro 1500 Firebox

Product Dimensions (WxHxD)
65" x 31-3/4" x 16-1/4"
165.0 cm x 80.5 cm x 41.2 cm

Carton Dimensions (WxHxD)
68-3/4" x 36-3/4" x 18-1/8"
174.5 cm x 93.5 cm x 46.0 cm

Packaged Weight
111.5 lbs / 50.6 kg

UPC
781052133709

CDFI1000-PRO Opti-myst Pro 1000 Cassette

Product Dimensions (WxHxD)
40-1/8" x 9-1/2" x 12"
101.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)
44-1/2" x 13-3/8" x 18-1/8"
113.0 cm x 34.0 cm x 46.0 cm

Packaged Weight
35 lbs / 15.87 kg

UPC
781052112612

CDFI500-PRO Opti-myst Pro 500 Cassette

Product Dimensions (WxHxD)
20" x 9-1/2" x 12"
50.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)
24-3/8" x 13-7/8" x 17-3/4"
62.0 cm x 34.0 cm x 45.0 cm

Packaged Weight
24.2 lbs / 10.9 kg

UPC
781052113053

FG1500 Front Glass

Product Dimensions (WxHxD)
60-3/4" x 15-1/4" x 1-5/8"
154.4 cm x 38.8 cm x 4.1 cm

Carton Dimensions (WxHxD)
71-3/8" x 21-5/8" x 5-1/4"
181.5 cm x 55.0 cm x 13.5 cm

Packaged Weight
28.4 lbs / 12.88 kg

UPC
781052133716

Opti-myst® Pro 1000

Opti-myst® Flame Effect

Revolutionary ultrasonic technology produces a fine vapor to create the illusion of flames and smoke

Supplemental Heat

Includes a robust fan-forced heater to warm up to 400 sq. ft.

Single or Double-sided

Removable back panel makes converting to see-through easy (glass sold separately)



GBF1000-PRO 40" Built-in Electric Firebox Kit

Includes the
following:
(Ships in 3 cartons)



CDFI-BX1000 Opti-myst Pro 1000 Firebox

Product Dimensions (WxHxD)
46-5/8" x 31-3/4" x 16-1/4"
118.4 cm x 80.5 cm x 41.2 cm

Carton Dimensions (WxHxD)
48-1/2" x 37" x 18-1/8"
123.0 cm x 94.0 cm x 46.0 cm

Packaged Weight
81.4 lbs / 37 kg

UPC
781052110618



CDFI1000-PRO Opti-myst Pro 1000 Cassette


Product Dimensions (WxHxD)
40-1/8" x 9-1/2" x 12"
101.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)
44-1/2" x 13-3/8" x 18-1/8"
113.0 cm x 34.0 cm x 46.0 cm

Packaged Weight
35 lbs / 15.87 kg

UPC
781052112612

* Above image shows product used with rear glass,
sold separately, see page 36



FG1000 Front Glass

Product Dimensions (WxHxD)
40-5/8" x 14-1/2" x 1-5/8"
103.0 cm x 36.8 cm x 4.1 cm

Carton Dimensions (WxHxD)
50-5/8" x 20-7/8" x 5-1/8"
128.5 cm x 53.0 cm x 13.0 cm


Packaged Weight
19.6 lbs / 8.9 kg

UPC
781052118379

Opti-myst® Pro Accessories



Accessories (sold separately)



Rear Glass Pane

GBF1000-GLASS
UPC 781052116979

GBF1500-GLASS
UPC 781052133723

Allows for see-through installations



Log Kit

CDFILOG

Opti-myst® Pro 1000
Order two **CDFILOG** UPC 781052103238

Opti-myst® Pro 1500
Order three **CDFILOG** UPC 781052103238



Direct Plumbing Kit

CDFIPLUMB-KIT
UPC 781052103221



Black Rock Media

CDFI1000-BLKRCK
UPC 781052121065

CDFI1500-BLKRCK
UPC 781052120983



River Rock Media

CDFI1000-RVRCK
UPC 781052121072

CDFI1500-RVRCK
UPC 781052133785



Driftwood Media

CDFI1000-DWSKIT
UPC 781052121027

CDFI1500-DWSKIT
UPC 781052121034

Opti-myst® Cassettes

Opti-myst® Flame Effect

Revolutionary ultrasonic technology produces a fine vapor to create the illusion of flames and smoke

Modular Design

Cassettes can be combined in series to achieve the desired length for dramatic linear installations impossible to achieve with gas fires

Continuous Water Supply

Designed to connect to main water line providing continuous operation without manually refilling water tanks. Optional plumbing kit is available



CDFI500-PRO
Opti-myst® Pro 500 Cassette

Product Dimensions (WxHxD)
20" x 9-1/2" x 12"
50.8 cm x 24.1 cm x 30.5 cm

Carton Dimensions (WxHxD)
24-3/8" x 13-7/8" x 17-3/4"
62.0 cm x 34.0 cm x 45.0 cm

Packaged Weight
24.2 lbs / 10.9 kg

UPC
781052113053



CDFI1000-PRO
Opti-myst® Pro 1000 Cassette

Product Dimensions (WxHxD)
40-1/8" x 9-1/2" x 12"
101.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)
44-1/2" x 13-3/8" x 18-1/8"
113.0 cm x 34.0 cm x 46.0 cm

Packaged Weight
35 lbs / 15.87 kg

UPC
781052112612

Opti-myst® Cassette Accessories



Accessories (sold separately)



500 Cassette Log Set

CDFILOG
UPC 781052103238



1000 Cassette Log Set

CDFILOG (order two for CDFI1000-PRO)
UPC 781052103238



Plug Kit

CDFI-PLUGKIT
UPC 781052105591



Direct-wire Heater Accessory

CDFI-TMHEAT
UPC 781052121058



Black Rock Media

CDFI500-BLKRCK
UPC 781052120983

CDFI1000-BLKRCK
UPC 781052121065



River Rock Media

CDFI500-RVRCK
UPC 781052121003

CDFI1000-RVRCK
UPC 781052121072



Driftwood Media

CDFI500-DWSKIT
UPC 781052121034

CDFI1000-DWSKIT
UPC 781052121027

Revillusion®



RLG20BR shown
23-3/4" x 19" x 12-1/2" (WxHxD)
60.3 cm x 48.2 cm x 31.7 cm



RLG20
20" Revillusion® Log Set
UPC 781052104709
Shown with optional ash mat (not included) REM-KIT



RLG20BR
20" Revillusion® Log Set
Birch Logs
UPC 781052130173



RLG20FC
20" Revillusion® Log Set
Fresh Cut Logs
UPC 781052134911



DFI2310
23" Electric
Fireplace Insert
UPC 781052049406



RLG25
25" Revillusion® Log Set
UPC 781052104686



RLG25BR
25" Revillusion® Log Set
Birch Logs
UPC 781052130319



RLG25FC
25" Revillusion® Log Set
Fresh Cut Logs
UPC 781052130302



DFI23TRIMX
Trim Kit
for DFI2310
UPC 78105239285

Mantels



Create a little drama in the room by adding a conversation starting mantel and fireplace. With multiple looks, Dimplex offers mantels in many styles. Go contemporary or go rustic, no matter the taste, Dimplex mantels add flair and finish to a room design.

Featherston

Faux Ledgerrock Finish


Natural stone-look material provides a relaxed mountain lodge mood to any room

Recessed Surround

Recessed surround frames the firebox for a picture perfect display

Multi-Fire XHD™ Flame Effect

High-contrast flames feature improved brightness and character for a dazzling, lifelike effect



GDS28L8-1152LR
Featherston
Electric Fireplace Mantel

DM26-1152LR

Product Dimensions (WxHxD)
61" x 44" x 15-5/8"
155.0 cm x 111.7 cm x 39.5 cm

Carton Dimensions (WxHxD)
63-7/8" x 14-3/4" x 24-1/8"
162.3 cm x 37.3 cm x 61.2 cm

Packaged Weight
178.2 lbs / 80.8 kg

UPC
781052067493



Includes: XHD28L
28" Multi-Fire XHD™ Firebox

Product Dimensions (WxHxD)
27-3/8" x 23-1/2" x 7-1/2"
69.5 cm x 59.7 cm x 18.9 cm

Carton Dimensions (WxHxD)
30" x 26-7/8" x 11-1/8"
76.0 cm x 68.0 cm x 28.0 cm

Packaged Weight
36.5 lbs / 16.6 kg

UPC
781052110847

Mantel and firebox ships in two cartons

Fieldstone

Faux Stone Finish


Traditional looking stone complements the rustic design cues for a cottage motif

Wooden Mantel Top

Wood slab top features a hand carved look and overextends the mantel for a commanding centerpiece

Multi-Fire XHD™ Flame Effect

High-contrast flames feature improved brightness and character for a dazzling, lifelike effect



GDS28L8-904ST
Fieldstone
Electric Fireplace Mantel

SSE-ST-9040

Product Dimensions (WxHxD)
54-5/8" x 42-5/8" x 12-7/8"
138.8 cm x 108.3 cm x 32.7 cm

Carton Dimensions (WxHxD)
22-5/8" x 58-1/8" x 14-7/8"
57.5 cm x 147.5 cm x 37.5 cm

Packaged Weight
142 lbs / 64.3 kg

UPC
781052056671



Includes: XHD28L
28" Multi-Fire XHD™ Firebox

Product Dimensions (WxHxD)
27-3/8" x 23-1/2" x 7-1/2"
69.5 cm x 59.7 cm x 18.9 cm

Carton Dimensions (WxHxD)
30" x 26-7/8" x 11-1/8"
76.0 cm x 68.0 cm x 28.0 cm

Packaged Weight
36.5 lbs / 16.6 kg

UPC
781052110847

Mantel and firebox ships in two cartons

Jean

Classic Mantel Design


Graceful crown molding and simple, stepped pilasters achieve a timeless appeal in any room

Intricate Details

Pencil moldings use a simple shape to create an intricate profile that exploits the balance of light and shade

Multi-Fire XHD™ Flame Effect

High-contrast flames feature improved brightness and character for a dazzling, lifelike effect



GDS28L8-1802W
Jean
Electric Fireplace Mantel

DM26-1802W

Product Dimensions (WxHxD)
49-3/8" x 40-1/8" x 11-1/4"
125.4 cm x 102.0 cm x 28.5 cm

Carton Dimensions (WxHxD)
52-7/8" x 16-3/4" x 17-3/8"
134.0 cm x 42.5 cm x 44.0 cm

Packaged Weight
71.7 lbs / 32.6 kg

UPC
781052108639



Includes: XHD28L
28" Multi-Fire XHD™ Firebox

Product Dimensions (WxHxD)
27-3/8" x 23-1/2" x 7-1/2"
69.5 cm x 59.7 cm x 18.9 cm

Carton Dimensions (WxHxD)
30" x 26-7/8" x 11-1/8"
76.0 cm x 68.0 cm x 28.0 cm

Packaged Weight
36.5 lbs / 16.6 kg

UPC
781052110847

Mantel and firebox ships in two cartons

Royce

Classic Mantel Style


Breakfront facade, vintage crown moldings and classically crafted twin pilasters make for a stunning traditional mantel

Faux Brick Surround

28" firebox is accentuated by a bold brick-look surround creating the perfect focal point

Multi-Fire XHD™ Flame Effect

High-contrast flames feature improved brightness and character for a dazzling, lifelike effect



GDS28L8-1924SK
Royce
Electric Fireplace Mantel

DM28-1924SK

Product Dimensions (WxHxD)
52" x 37-3/8" x 12-3/8"
132.0 cm x 94.8 cm x 31.5 cm

Carton Dimensions (WxHxD)
55-1/8" x 14-7/8" x 17-1/8"
140.0 cm x 37.5 cm x 43.5 cm

Packaged Weight
71.5 lbs / 32.4 kg

UPC
781052120167



Includes: XHD28L
28" Multi-Fire XHD™ Firebox

Product Dimensions (WxHxD)
27-3/8" x 23-1/2" x 7-1/2"
69.5 cm x 59.7 cm x 18.9 cm

Carton Dimensions (WxHxD)
30" x 26-7/8" x 11-1/8"
76.0 cm x 68.0 cm x 28.0 cm

Packaged Weight
36.5 lbs / 16.6 kg

UPC
781052110847

Mantel and firebox ships in two cartons

Ordering SKU Index

IgniteXL Bold pg 3-6	
Model Number	Order Number
XLF5017	X-XLF5017-XD
XLF6017	X-XLF6017-XD
XLF7417	X-XLF7417-XD
XLF8817	X-XLF8817-XD
XLF10017	X-XLF10017-XD
XLFXDLINK	X-XLFXDLINK
XLFXDPLUG	X-XLFXDPLUG
IgniteXL pg 7-9	
Model Number	Order Number
XLF50	X-XLF50
XLF60	X-XLF60
XLF74	X-XLF74
XLF100	X-XLF100
LF34DWS-KIT	X-LF34DWS-KIT
LF50DWS-KIT	X-LF50DWS-KIT
LF74DWS-KIT	X-LF74DWS-KIT
LF100DWS-KIT	X-LF100DWS-KIT
XLFXDPLUG	X-XLFXDPLUG
XLFTRIM50	X-XLFTRIM50
XLFTRIM60	X-XLFTRIM60
XLFTRIM74	X-XLFTRIM74
XLFTRIM100	X-XLFTRIM100
Multi-Fire SL Series pg 10-12	
Model Number	Order Number
PLF3614-XS	X-PLF3614-XS
PLF4214-XS	X-PLF4214-XS
PLF5014-XS	X-PLF5014-XS
PLF6014-XS	X-PLF6014-XS
PLFXSPLUG	X-PLFXSPLUG
Sierra Series pg 13-14	
Model Number	Order Number
SIL48	X-SIL48
SIL60	X-SIL60
SIL72	X-SIL72
Opti-V pg 15-16	
Model Number	Order Number
VF2927L	X-092877
VF5452L	X-092853

Revellusion pg 18-21	
Model Number	Order Number
RBF24DLX	X-RBF24DLX
RBF24DLXWC	X-RBF24DLXWC
RBF30	X-RBF30
RBF30WC	X-RBF30WC
RBF36	X-RBF36
RBF36WC	X-RBF36WC
RBF36P	X-RBF36P
RBF36PWC	X-RBF36PWC
RBF42	X-RBF42
RBF42WC	X-RBF42WC
RBF24TRIM36	X-RBF24TRIM36
RBF24TRIM40	X-RBF24TRIM40
RBF30TRIM38	X-RBF30TRIM38
RBF30TRIM44	X-RBF30TRIM44
RBFDOOR30	500000424
RBFDOOR36	X-RBFDOOR36
RBFDOOR36P	X-RBFDOOR36P
RBFDOOR42	X-RBFDOOR42
RBFGLASS30	500000423
RBFGLASS36	X-RBFGLASS36
RBFGLASS36P	500000742
RBFGLASS42	X-RBFGLASS42
RBFL24BR	X-RBFL24BR
RBFL24FC	X-RBFL24FC
RBFL30BR	X-RBFL30BR
RBFL30FC	X-RBFL30FC
RBFL42BR	X-RBFL42BR
RBFL42FC	X-RBFL42FC
RBFPLUG	X-RBFPLUG

BF Series pg 22-24	
Model Number	Order Number
BF33DXP	X-781052045781
BF39DXP	X-BF39DXP
BF39STP	X-BF39STP
BF45DXP	X-BF45DXP
BFSL33	X-BFSL33
BF4TRIM33	X-BF4TRIM33
BF4TRIM39	X-BF4TRIM39
BF4TRIM45	X-BF4TRIM45
BFDOOR33BLKSM	X-BFDOOR33BLKSM
BFDOOR39BLKSM	X-BFDOOR39BLKSM
BFDOOR45BLKSM	X-BFDOOR45BLKSM
BFGGLASS33BLK	X-BFGGLASS33BLK
BFGGLASS39BLK	X-BFGGLASS39BLK
BFGGLASS45BLK	X-BFGGLASS45BLK
BFPLUGE	X-BFPLUGE
BFRC-KIT	X-BFRC-KIT
TS321W	X-TS321W
BFSDOOR33BLK	X-BFSDOOR33BLK
BFSDOOR39BLK	X-BFSDOOR39BLK
BFSL33DOOR	X-BFSL33DOOR
DF Series pg 25-26	
Model Number	Order Number
DF3015	X-DF3015
DF3033ST	X-DF3033ST
Multi-Fire XHD pg 27-29	
Model Number	Order Number
XHD23G	X-XHD23G
XHD23L	X-XHD23L
XHD26G	X-XHD26G
XHD26L	X-XHD26L
XHD28G	X-XHD28G
XHD28L	X-XHD28L
XHD33G	500001757
XHD33L	500001756
Multi-Fire XD pg 30	
Model Number	Order Number
PF2325HG	X-PF2325HG

Ordering SKU Index

Opti-Myst pg 32-39	
Model Number	Order Number
OLF46-AM	X-136786
OLF66-AM	X-136793
OLF86-AM	X-136809
GBF1500-PRO (includes the below SKUs)	
CDFI-BX1500	X-CDFI-BX1500
CDFI1000-PRO	X-2112612
CDFI500-PRO	X-2113053
FG1500	X-FG1500
GBF1000-PRO (includes the below SKUs)	
CDFI-BX1000	X-CDFI-BX1000
CDFI1000-PRO	X-2112612
FG1000	X-FG1000
GBF1000-GLASS	X-GBF1000-GLASS
GBF1500-GLASS	X-GBF1500-GLASS
CDFILOG	X-206176
CDFILOG-KIT	X-206176 (order 2)
CDFILOG-KIT3	X-206176 (order 3)
CDFIPLUMB-KIT	X-206213
CDFI-TMHEAT	X-CDFI-TMHEAT
CDFI1000-PRO	X-2112612
CDFI500-PRO	X-2113053
CDFI1000-DWSKIT	X-CDFI1000-DWSKIT
CDFI500-DWSKIT	X-CDFI500-DWSKIT
CDFI500-BLKRCK	X-CDFI500-BLKRCK
CDFI1000-BLKRCK	X-CDFI1000-BLKRCK
CDFI500-RVRCK	X-CDFI500-RVRCK
CDFI1000-RVRCK	X-CDFI1000-RVRCK
CDFI1500-RVRCK	X-CDFI1500-RVRCK
Log Set & Inserts pg 40	
Model Number	Order Number
RLG20	X-RLG20
RLG20BR	X-RLG20BR
RLG20FC	X-RLG20FC
RLG25	X-RLG25
RLG25BR	X-RLG25BR
RLG25FC	X-RLG25FC
DFI2310	X-DFI2310
DFI23TRIMX	X-DFI23TRIMX

Mantels pg 41-45	
Model Number	Order Number
GDS28L8-1152LR	X-GDS28L8-1152LR
GDS28L8-904ST	X-GDS28L8-904ST
GDS28L8-1802W	X-GDS28L8-1802W
GDS28L8-1924SK	X-GDS28L8-1924SK



Dimplex One-of-a-Kind Mobile Showroom



#DiscoverDimplex

www.dimplex.com

