



Revillusion[®]
by Dimplex

ThruView[®] Electric
Fireboxes and Log Sets

Dimplex[®]

Revillusion fireplaces... now with **endless possibilities.**

Pick a size:



24 inch



30 inch



36 inch



36 inch portrait



42 inch

Pick a backer
(herringbone or
weathered concrete):



Herringbone



Concrete

Upgrade the log set:



Fresh Cut



Birch

Add an accessory:



Glass Pane



Glass Door



Trim (24" / 30")

Herringbone Backer



RBF24DLX

24¹/₄" x 22⁷/₈" x 12¹/₈" (WxHxD)
61.6 cm x 58.1 cm x 30.8 cm



RBF30

31¹/₄" x 26⁵/₈" x 12¹/₈" (WxHxD)
79.2 cm x 67.6 cm x 30.8 cm



RBF36

37¹/₄" x 26⁵/₈" x 12¹/₈" (WxHxD)
94.4 cm x 67.6 cm x 30.8 cm



RBF36P

37¹/₄" x 31" x 12¹/₈" (WxHxD)
94.4 cm x 78.8 cm x 30.8 cm



RBF42

43¹/₄" x 31" x 12¹/₈" (WxHxD)
109.8 cm x 78.8 cm x 30.8 cm

The Future of
Fireplaces is Clear.™

Revillusion® is a completely new way of looking at fireplaces, and changing the standard for electric. A clear view through the lifelike flames, to the full brick interior, captures the charm of a wood-burning fireplace. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion®; clearly a better fireplace.

Built-in Electric Fireboxes



RBF24DLX
Shown with Glass Pane (included)
Birch Log Set (RBFL24BR) and
Trim Kit (RBF24TRIM40)



RBF30WC
Shown with
Fresh Cut Set
(RBFL30FC)

Weathered Concrete Backer



RBF24DLXWC
24¹/₄" x 22⁷/₈" x 12¹/₈" (WxHxD)
61.6 cm x 58.1 cm x 30.8 cm



RBF30WC
31¹/₄" x 26⁵/₈" x 12¹/₈" (WxHxD)
79.2 cm x 67.6 cm x 30.8 cm



RBF36WC
37¹/₄" x 26⁵/₈" x 12¹/₈" (WxHxD)
94.4 cm x 67.6 cm x 30.8 cm














RBF36PWC
37¹/₄" x 31" x 12¹/₈" (WxHxD)
94.4 cm x 78.8 cm x 30.8 cm



RBF42WC
43¹/₄" x 31" x 12¹/₈" (WxHxD)
109.8 cm x 78.8 cm x 30.8 cm

Firebox Features

-  **Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
-  **ThruView® Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
-  **Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
-  **Realogs™ Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
-  **More authentic day or night;**
270-degree surround with natural soot markings.
-  **Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
-  **Color Enhancement**
Adjust the flame base color to red or blue.
-  **Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
-  **Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
-  **Quick and Easy Installation**
Simply frame, wire and finish – no venting, gas lines or safety screens.
-  **Primary Heat**
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.
-  **Direct-wire**
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).



Plug-in Electric Log Sets



Revillusion® Flame Technology

Flames are larger, brighter and more random, appearing from within the logs.



ThruView® Full-depth Design

See clear through the flames to the back of the fireplace for a more authentic experience.



Mirage™ Flame Panel

Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.



Realogs™ Plus

A full grate of life-size hardwood-cast logs, tiered for greater depth.



360° Light

Add flickering light to enhance the firelight effect.



Color Enhancement

Adjust the flame base color to red or blue. (RLG25 only)



Brightness

Adjust light level to suit the room.



Hidden Heat

Fan-forced ceramic heater provides perfect comfort for small spaces.



Just Plug It In

Simply plug into any standard household outlet for instant ambiance.



RLG20BR



RLG25FC



RLG20

23³/₄" x 19" x 12¹/₂" (WxHxD)
60.3 cm x 48.2 cm x 31.7 cm
*Ash mat sold separately



RLG20BR

23³/₄" x 19" x 12¹/₂" (WxHxD)
60.3 cm x 48.2 cm x 31.7 cm



RLG20FC

23³/₄" x 19" x 12¹/₂" (WxHxD)
60.3 cm x 48.2 cm x 31.7 cm



RLG25

25⁵/₈" x 19" x 13" (WxHxD)
65.0 cm x 48.2 cm x 32.9 cm



RLG25BR

25⁵/₈" x 19" x 13" (WxHxD)
65.0 cm x 48.2 cm x 32.9 cm



RLG25FC

25⁵/₈" x 19" x 13" (WxHxD)
65.0 cm x 48.2 cm x 32.9 cm

Single Glass Pane

Tempered front glass.



RBFGLOSS30

29-1/4" W x 22-1/8" H x 3/8" D
(74.0cm x 56.1cm x 1.1cm)

RBFGLOSS36

35-1/8" W x 22-1/8" H x 3/8" D
(89.1cm x 56.1cm x 1.1cm)

RBFGLOSS36P

35-1/8" W x 26-5/8" H x 3/8" D
(89.1cm x 67.5cm x 1.1cm)

RBFGLOSS42

41-1/8" W x 26-5/8" H x 3/8" D
(104.5cm x 67.5cm x 1.1cm)

RBFPUG



120V power supply cord.

Double Glass Doors

Functional doors with tempered glass.



RBFDOR30

33-3/4" W x 27-1/4" H x 1-1/4" D
(85.8cm x 69.4cm x 3.7cm)

RBFDOR36

39-3/4" W x 27-1/4" H x 1-1/4" D
(101.1cm x 69.4cm x 3.7cm)

RBFDOR36P

39-3/4" W x 31.3/4" H x 1-1/4" D
(101.1cm x 80.8cm x 3.7cm)

RBFDOR42

47-7/8" W x 31-3/4" H x 1-1/4" D
(116.5cm x 80.8cm x 3.7cm)

REM-KIT - Ash Mat for RLG20



18^{7/8}" x 1^{1/8}" x 5^{5/8}" (WxHxD)
47.8 cm x 3.0 cm x 14.1 cm

Fresh Cut Log Set



RBFL24FC

Compatible with RBF24DLX and RBF24DLXWC
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)

RBFL30FC

Compatible with RBF30 and RBF30WC
22-3/8" W x 10-7/8" H x 11" D
(56.8 cm x 27.4 cm x 27.9 cm)

RBFL42FC

Compatible with: RBF36, RBF36WC, RBF36P,
RBF36PWC, RBF42, RBF42WC
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)

Birch Log Set



RBFL24BR

Compatible with RBF24DLX and RBF24DLXWC
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)


RBFL30FC

Compatible with RBF30 and RBF30WC
22-3/8" W x 10-7/8" H x 11" D
(56.8 cm x 27.4 cm x 27.9 cm)

RBFL42FC

Compatible with: RBF36, RBF36WC, RBF36P,
RBF36PWC, RBF42, RBF42WC
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)

24" Trim Kit




RBFL24TRIM36

- 36" Black
Installation Trim

RBFL30TRIM38

- 38" Black
Installation Trim

30" Trim Kit



RBFL24TRIM40

- 40" Black
Installation Trim

RBFL30TRIM44

- 44" Black
Installation Trim

Your authorized Dimplex dealer:

For more information and
product specifications, please
visit dimplex.com

Visit us online at: www.dimplex.com



GlenDimplex
AMERICAS

Enhancing the moments that matter in life.