



Cross Reference Guide

Customer Support

Customer Support

Our Customer Support team is available to answer questions or provide any assistance you may need.

800.441.9692, help@pdqlocks.com.

Monday through Friday – 8 am to 5 pm EST.

Placing Orders

To place orders, email:

orders@pdqlocks.com

Product and Technical Support

PDQ Mechanical: 833.273.7832, techsupport@pdqlocks.com.

Quotation and Product Cross Reference

quotes@pdqlocks.com, 800.441.9692

Value Engineering Services (Complimentary)

quotes@pdqlocks.com, 800.441.9692

Specification Writing Services (Complimentary)

quotes@pdqlocks.com, 800.441.9692

World Headquarters Administrative Office U.S. Manufacturing Center

PDQ Manufacturing
2230 Embassy Drive
Lancaster, PA 17603 USA

Remittances


PDQ Manufacturing
P.O. Box 6426
Lancaster, PA 17607 USA

Regional Distribution Centers

Lancaster, PA, Norcross, GA,
Kansas City, MO, Auburn, WA

International Design, Sales and Distribution Centers

Abu Dhabi, United Arab Emirates



Regional Warehouse

- Lancaster, PA
- Norcross, GA
- Auburn, WA

Cross Reference Table of Contents

Mortise Locks

MR Series Grade 1 Mortise	2
MJ Mortise Cylinder Deadbolt	3

Cylindrical Locks Grade 1

XGT Series Grade 1 Cylindrical	4
GT Series Grade 1 Cylindrical	5

Cylindrical Locks Grade 2

GP Series Grade 2 Cylindrical	6
SD Series Grade 2 Cylindrical	7
SF Series Grade 2 Cylindrical	8
CL Series Inter-Connected Grade 2	8

Wide Stile Architectural Exit Device

6200 Series Grade 1	9
---------------------	---

Wide Stile Commercial Exit Device

4200 Series	10
-------------	----

Door Closers

7100 Series – Institutional Grade 1 Closer	11
5100 Series – Commercial Grade 1 Closer	11
5300/5500 Series – Commercial Grade 1 Closer	11
3100 Series – Light Commercial Grade 1 Closer	11

Hinges

Commercial Hinges	12
-------------------	----

Sliding Barn Door Hardware

STS Series Sliding Barn Door Hardware	13
---------------------------------------	----



**ASSEMBLED
IN THE USA**

Typical Applications

- Senior Living
- Government Facilities
- Healthcare
- Hospitality
- Houses of Worship
- Industrial
- Multi-family
- Offices
- Public Buildings
- Retail
- Higher Education
- K-12 Education

Situations

- High Traffic
- High Abuse

Cross Reference

ANSI #	PDQ FUNCTION	ARROW	BEST	CORBIN	DORMA	FALCON	MARKS	SARGENT	SCHLAGE	YALE
DUMMY 1 SIDE	MR211	BM/AM08	45H1DT	ML2050	M9001	MA12	DI/DO	8293	L0170	AU865
DUMMY 2 SIDES	MR207	BM/AM09	45H2DT	ML2071	M9002	MA18	DT	8294	L0172	AU838A
DUMMY 1 SIDE	MR212	N/A	N/A	N/A	M9003	N/A	N/A	N/A	L9175	N/A
DUMMY 2 SIDES	MR206	N/A	N/A	N/A	M9004	N/A	N/A	N/A	L9176	N/A
F01	MR126	BM/AM01	45HN	ML2071	M9010	MA101	5N	8215	L9010	AU8801FL
F31	SEE TJ SERIES	BM/AM07	45HNX	N/A	M9025	MA161	5EX	N/A	N/A	AU8828
F22	MR176	BM/AM26	45HLT	ML2060	M9040	MA321	5LJ	8265	L9040	AU8862FL
F04	MR116	BM/AM22	45HA	ML2051	M9050	MA521	5E	8205	L9050	AU8807FL
F09	MR186	BM/AM32	45HC	ML2042	M9060	MA381	5G	8216	L9060	AU8817-2FL
F05	MR148	BM/AM17	45HR	ML2055	M9070	MA561	5J	8237	L9070	AU8808FL
F06	MR113	N/A	45HR/HB	ML2056	M9076	MA551	5JM/JR	8289	L9076	AU8800
F07	MR115	BM/AM12	45HD	ML2057	M9080	MA581	5EW	8204	L9080	AU8805FL
	MR199A	BM/AM17/177	45HEL	ML22901	M9080EL	MA851	5EL	8270	L9080EL	AU8890FL
	MR199A	BM/AM17/178	45HEU	ML22904	M9080EU	MA881	5EU	8270	L9080EU	AU8891FL
	MR199A W/REX	N/A	45HEURQE	ML22901 M92	M9080ELRX	N/A	5EL W10	RX-8272	L9080ELRX	AU8890FLREX
	MR199A W/REX	N/A	45HEURQE	ML22904 M92	M9080ELRX	N/A	5EU W10	RX-8273	L9080EU-RX	AU8891FLREX
F30	MR138	BM/AM33	45HW	ML2032	M9082	MA411	5WW	N/A	L9082	AU8830-2FL
F19	MR179	BM/AM02	45HL	ML2030	M9940	MA311	5LF	8266	L9440	AU8802FL
F20	MR162	BM/AM20	45HAB	ML2067	M9953	MA531	5FD	8243	L9453	AU8847FL
F13	MR136	BM/AM19	45HT	ML2065	M9956	MA571	5FW	8225	L9456	AU8822FL
F11	MR158	N/A	N/A	N/A	M9957	N/A	5FA	N/A	N/A	AU8800
F17	MR132	BM41	45HAD	ML2013	N/A	M941	5P	8221	L9460	AU8815
F18	MR131	BM40	45HYB	NML2011	N/A	MA921	5S	8220	L9464	AU8814
F16	MR133	BM42	45HWD	ML2012	N/A	M931	5T	8222	L9462	AU8814-2
F29	MR134	BM44	45HRD	ML2017	MB9963	M911	5SC	8203	L9463	AU8813ST
F14	MR137	BM/A/31	45HG	ML2017	M9966	MA371	5C	8226	L9466	AU8860-2FL
F34	MR157	N/A	45HIDA	ML2022	M9967	MA431	5FC	8240	N/A	AU8812-2FL
F33	MR159	N/A	45HIND	N/A	M9968	N/A	5FX	N/A	L9457	AU8811-2FL
F21	MR135	BM/AM13	45HB	ML2024	M9973	MA541	5B	8224	L9473	AU8860FL
F02	MR178	N/A	N/A	ML2020	N/A	MA301	5-55L	8268	N/A	N/A

Lever/Knob Comparison

	PDQ	ARROW	BEST	CORBIN	DORMA	FALCON	MARKS	SARGENT	SCHLAGE	YALE
LEVER	PHILADELPHIA	X	15	NS NEWPORT	LR	D DANE	AMERICAN LEVER 92	L	06 RHODES	AU AUGUSTA
	BOSTON	BR	14	PS PRINCETON	LC	Q QUANTUM	CRESCENT LEVER 86	P	17SPARTA	PB PACIFIC BEACH
	CHICAGO	N	12	REGIS	LIIO	N/A	OMNI 78	W	02	PINEHURST PNR
	DALLAS	HS	3	LS LUSTR	LT	K KIM	PLAZA LEVER 82	J	03TUBULAR	CR CARMEL
	MIAMI	V	16	AS ARMSTONG	LG	A AVALON	TITAN LEVER 96	B	07ATHENS	JN JEFFERSON
	MEMPHIS	W	69	DIRKE	LD	N/A	DAYTON 83	A	12	VICTORIA TT
	ORLANDO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	LATITUDE	N/A
KNOB	KNOB	HB	4	YW	KB	T TROY	ROUND KNOB 10	C	41 PLYMOUTH	LF LITCHFIELD
	B	HT	N/A	GR	KB	H HANA	ROUND KNOB 10	B	42 ORBIT	CA CAROLINA
	N/A	A	R	F	KB	G GALA	RW	N/A	B	R

Information on this sheet is compiled from public documents and third parties. As a result, PDQ makes no guarantees as to their accuracy, content, quality or availability. Comparisons were made using the technical features only and are not commercial comparisons. Final suitability should be determined by a professional hardware consultant.

Typical Applications

- Auxiliary Doors
- Closets/Equipment Rooms
- Common Areas
- Restrooms
- K-12 Education
- Higher Education
- Commercial/Institutional/Military

Situations

- High Abuse
- Match MR Mortise Lock Aesthetics

Cross Reference*

ANSI	PDQ FUNCTION	BEST	CORBIN	DORMA	MARKS #31/32/33 SERIES	SARGENT	SCHLAGE	YALE
F18	MJ131	48H L	DL4111	D961	L	4876	L464	353
F17	MJ132	48H K	DL4113	D960	K	4875	L460	352
F16	MJ133	48H M	DL4112	D962	M	4874	L462	351
F29	MJ134LH	48H R	DL4117	D963	S	4877	L463	357
	MJ134LH							

*Note: Functions are equal, but form may differ.

XGT SERIES

GRADE 1 Heavy Duty Cylindrical Lock



**ASSEMBLED
IN THE USA**

Typical Applications

- Federal and State Government
- Healthcare
- Higher Education
- Hospitality
- Houses of Worship
- Industrial
- K-12 Education
- Offices
- Public Buildings

Situations


- High Traffic
- High Abuse

Cross Reference


ANSI # / FUNCTION	PDQ	SARGENT	CORBIN
F75 – PASSAGE	XGT 126	11U15	CL3110
F76 – PRIVACY	XGT 176	11U65	CL3120
F82 – ENTRY	XGT 182	11G24	CL3161
F84 – CLASSROOM	XGT 148	11G37	CL3155
F86 – STORE ROOM	XGT 115	11G04	CL3157
F90 – CORRIDOR	XGT 165	11G54	CL3175
F110 – INTRUDER CLASSROOM	XGT 135	11G38	CL3152
F110 – INTRUDER CLASSROOM W/LED INDICATOR	XGT 135 LED PDQ Exclusive - Patent #9,187,928	N/A	N/A

Lever Comparison


PDQ	SCHLAGE	SARGENT	CORBIN
PHL – PHILADELPHIA	RHO	L Lever	NZD
BSN – BOSTON	SPA	P Lever	PZD
MIA – MIAMI	ATH	B Lever	AZD



PHILADELPHIA (PHL) LEVER



BOSTON (BSN) LEVER



MIAMI (MIA) LEVER

Information on this sheet is compiled from public documents and third parties. As a result, PDQ makes no guarantees as to their accuracy, content, quality or availability. Comparisons were made using the technical features only and are not commercial comparisons. Final suitability should be determined by a professional hardware consultant.

GT SERIES

Grade 1 Extra Heavy Duty Cylindrical Lock



**ASSEMBLED
IN THE USA**

Typical Applications

- Federal and State Government
- Healthcare
- Higher Education
- Hospitality
- Houses of Worship
- Industrial
- K-12 Education
- Offices
- Public Buildings

Situations


- High Traffic
- High Abuse

Cross Reference


ANSI # / FUNCTION	PDQ	BEST	CORBIN	DORMA	FALCON T SERIES	HAGER	MARKS 95 SERIES	SARGENT	SCHLAGE	YALE
F75 PASSAGE	GT 126	93K N	CL3310	C810	101	3410	N	10U15	ND10S	5401LN
F76 PRIVACY	GT 176	93K L	CL3320	C840	301	3440	L	10U65	ND40S	5402LN
F82 ENTRY	GT 182	93K A	CL3361	C850	501	3450	A	10G24	ND50PD	5404LN
F109 ENTRANCE	GT 116	93K AB	CL3351	C850	N/A	3453	N/A	10G05	ND53PD	5404LN
F84 CLASSROOM	GT 148	93K R	CL3355	C870	561	3470	S	10G37	ND70PD	5408LN
F86 STORE ROOM	GT 115	93K D	CL3357	C880	581	3480	F	10G04	ND80PD	5405LN
F90 CORRIDOR	GT 165	93K KT	CL3375	C873	571	3473	T	10G54	ND73PD	5422LN
F110 INTRUDER CLASSROOM	GT 135	93K IN	CL3352	C877	381	3495	DB	10G38	ND95PD	5418LN
F110 INTRUDER CLASSROOM W/LED INDICATOR	GT 135 LED PDQ Exclusive - Patent #9,187,928	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SINGLE DUMMY	GT 211	93K 1DT	CL3350	C801	12	3417	DO	10U93	ND170	5455LN

Lever Comparison


PDQ	BEST	CORBIN	DORMA	FALCON	HAGER	MARKS	SARGENT	SCHLAGE	YALE
PHL – PHILADELPHIA	15	NZD	LR	D	WTS	195	L Lever	RHO	AU
BSN – BOSTON	14	PZD	LC	Q	ARC	295	P Lever	SPA	PB
MIA – MIAMI	16	AZD	LG	A	AUS	495	B Lever	ATH	MO



PHILADELPHIA (PHL) LEVER



BOSTON (BSN) LEVER



MIAMI (MIA) LEVER

Information on this sheet is compiled from public documents and third parties. As a result, PDQ makes no guarantees as to their accuracy, content, quality or availability. Comparisons were made using the technical features only and are not commercial comparisons. Final suitability should be determined by a professional hardware consultant.



**ASSEMBLED
IN THE USA**

Typical Applications

- Government Facilities
- Healthcare
- Higher Education
- Hospitality
- Houses of Worship
- Industrial
- K-12 Education
- Multi-family
- Offices
- Public Buildings

Situations


- Moderate Traffic
- Moderate Abuse

Cross Reference


ANSI # / FUNCTION	PDQ	ARROW	BEST	CORBIN	DORMA	FALCON	HAGER	K2	SARGENT	SCHLAGE	YALE
F75 PASSAGE	GP 126	ML01	73K	CL3810	CL710	B101	3510	QCL230	7U15	AL10	5301LN
F76 PRIVACY	GP 176	ML02	73K	CL3820	CL740	B301	3540	QCL240	7U65	AL40	5303LN
F82 ENTRY	GP 182	NA	73K	CL3861	CL750	B501	3550	NA	NA	AL50	5302LN
F109 ENTRANCE	GP 116	ML11	73K	CL3851	CL753	B511	3553	QCL250	7G05	AL53	5307LN
F84 CLASSROOM	GP 148	ML17	73K	CL3855	CL770	B561	3570	QCL260	7G37	AL70	5308LN
F86 STORE ROOM	GP 115	ML12	73K	CL3857	CL780	B581	3580	QCL270	7G04	AL80	5305LN
SINGLE DUMMY	GP 211	ML08	73K	CL3850	CL701	B12	3517	QCL220	7U93	AL170	5328LN

Lever Comparison


PDQ	ARROW	BEST	CORBIN	DORMA	FALCON	HAGER	K2	SARGENT	SCHLAGE	YALE
MIA – MIAMI	VR	16	AZD	LG	NA	AUS	SLA	B	JUP	MO
PHL – PHILADELPHIA	BRR	15	NZD	LR	D	WTS	PNN	L	SAT	AU
BSN – BOSTON	SR	14	PZD	LC	Q	ARC	PEA	P	NEP	PB



PHILADELPHIA (PHL) LEVER



BOSTON (BSN) LEVER



MIAMI (MIA) LEVER

Information on this sheet is compiled from public documents and third parties. As a result, PDQ makes no guarantees as to their accuracy, content, quality or availability. Comparisons were made using the technical features only and are not commercial comparisons. Final suitability should be determined by a professional hardware consultant.

Typical Applications

- Senior Living
- Hospitality
- Houses of Worship
- Industrial
- Medium/Light Commercial Installations
- Multi-family
- Offices
- Retail

Situations

- Moderate Traffic
- Moderate Abuse

Cross Reference


ANSI # / FUNCTION	PDQ	ARROW	CAL ROYAL	CORBIN	DORMA	FALCON	HAGER	SARGENT	YALE
F75 PASSAGE	SD 126	RL01	SL30	CL3710	C510	W101	2510	6U15	4601LN
F76 PRIVACY	SD 176	RL02	SL20	CL3720	C540	W301	2540	6U65	4602LN
F109 ENTRANCE	SD 116	RL11	SL01	CL3751	C553	W511	2553	65G37	4607LN
F84 CLASSROOM	SD 148	RL17	SL03	CL3755	C570	W561	2570	6G37	4608LN
F86 STORE ROOM	SD 115	RL12	SL05	CL3759	C580	W581	2580	6G04	4605LN
SINGLE DUMMY	SD 211	RL08	SL40	CL3750	C501	W12	2517	6U93	4655LN

Lever Comparison


PDQ	ARROW	CAL ROYAL	CORBIN	DORMA	FALCON	HAGER	SARGENT	YALE
MIA – MIAMI	N/A	AT	AZD	N/A	N/A	N/A	B	MO
PHL – PHILADELPHIA	BRR	GN	NZD	LR	D	WTS	L	AU
BSN – BOSTON	SR	SPA	PZD	LC	Q	ARC	P	PB
MEM – MEMPHIS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ORL – ORLANDO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A




♿ PHILADELPHIA (PHL)




♿ BOSTON (BSN)



♿ MIAMI (MIA)



♿ MEMPHIS (MEM)
(SPECIFY HANDING)



♿ ORLANDO (ORL)

Information on this sheet is compiled from public documents and third parties. As a result, PDQ makes no guarantees as to their accuracy, content, quality or availability. Comparisons were made using the technical features only and are not commercial comparisons. Final suitability should be determined by a professional hardware consultant.

SF SERIES

Grade 2 Standard Duty Cylindrical Lock

Typical Applications

- Multi-Family
- Senior Living
- Student Housing
- Light Commercial

Situations

- Bathrooms
- Bedrooms
- Storage closets

Cross Reference

ANSI # / FUNCTION	PDQ	ARROW	CAL ROYAL	CORBIN	DORMA	FALCON	HAGER	SARGENT	YALE	SCHLAGE
F75 PASSAGE	SF126	CL01	SG30	N/A	C310	N/A	2510	N/A	4301	S10
F76 PRIVACY	SF176	CL02	SG20	N/A	C340	N/A	2540	N/A	4302	S40
F109 ENTRANCE	SF116	CL11	SG00	N/A	C353	N/A	2553	N/A	4307	S51
SINGLE DUMMY	SF211	CL08	SG40	N/A	C301	N/A	2517	N/A	4355	S170

CL SERIES

Grade 2 Standard Duty Inter-Connected Lock

Typical Applications

- Senior Living
- Hospitality
- Military Housing
- Multi-family
- Offices
- Retail

Situations

- Moderate Traffic
- Moderate Abuse

Cross Reference

ANSI NUMBER / FUNCTION	PDQ	CAL-ROYAL	DORMA	FALCON	HAGER	SCHLAGE®	STANLEY®	YALE
95 / ENTRY, SINGLE CYLINDER	CL 126	HIL00, JHIL00	J310	–	3710	CS/RS 210 SERIES	QCI230 SERIES	4851LN
97 / ENTRY, DOUBLE CYLINDER	CL 116	HIL30, JHIL30	J353	H101DG	3753	CS/RS 250 SERIES	QCI250 SERIES	4871LN
98 / STOREROOM, DOUBLE CYLINDER	CL 115	–	–	–	–	CS/RS 280 SERIES	QCI285 SERIES	–
PRIVACY W/INDICATOR, NO CYLINDER	CL 176	–	–	–	–	–	QCI285 SERIES	–

Information on this sheet is compiled from public documents and third parties. As a result, PDQ makes no guarantees as to their accuracy, content, quality or availability. Comparisons were made using the technical features only and are not commercial comparisons. Final suitability should be determined by a professional hardware consultant.

6300/6400 SERIES

Exit Devices

Typical Applications

- Commercial
- Government Facilities
- Healthcare
- Industrial
- K-12 Education
- Higher Education

Situations

- High to Medium Traffic

6300 Wide Stile Cross Reference

MANUFACTURER	EXIT DEVICE SERIES/TYPE							
	RIM	RIM FIRE	VERTICAL ROD	VERTICAL ROD FIRE	CONCEALED VERTICAL ROD	CONCEALED VERTICAL ROD FIRE	MORTISE	MORTISE FIRE
PDQ	6300R	6300RF	6300V	6300VF	6300C	6300CF	6300M	6300MF
CORBIN	ED5200	ED5200A	ED5400	ED5400A	ED5860	ED5860B	ED5600	ED5600A
DORMA	9300	F9300	9400	F9400	9100	F9100	9500	F9500
FALCON	25-R	F-25-R	25-V	F-25-V	25-C	F-25-C	25-M	F-25-M
HAGER	4501 RIM	4501 RIM FR	4501 SVR	4501 SVR FR	4500 CVR	4500 CVR FR	4500 MOR	4500 MOR FR
SARGENT®	8800	12-8800	8700	12-8700	8600	12-8600	8900	12-8900
VON DUPRIN	98/99	98/99-F	98/9927	98/9927-F	98/9947	98/9947-F	98/9975	98/9975-F
YALE	7100	7100F	7110	7110F	7160	7160F	7130	7130F

6400 Narrow Stile Cross Reference

MANUFACTURER	EXIT DEVICE SERIES/TYPE					
	RIM	RIM FIRE	VERTICAL ROD	VERTICAL ROD FIRE	CONCEALED VERTICAL ROD	CONCEALED VERTICAL ROD FIRE
PDQ	6400R	6400RF	6400V	6400VF	6400C	6400CF
CORBIN	ED4200	ED4200MA	ED4400	ED4400MA	ED4800	ED4800MA
DORMA	9700	F9700	9800	F9800	9600	F9600
FALCON	24-R	F-24-R	24-V	F-24-V	24-C	F-24-C
HAGER	4601 RIM	4601 RIM FR	4601 SVR	4601 SVR FR	4601 CVR	4601 CVR FR
SARGENT®	8500	12-8500	N/A	N/A	8400	12-8400
VON DUPRIN	33A/35A	33A/35A-F	3327A/3527A	3327A/3527A-F	3347A/3547A	3347A/3547A-F
YALE	7200	7200F	7210	7210F	7220	7220F

4200 SERIES

Exit Devices

Typical Applications

- Commercial
- Offices
- Retail

Situations

- Medium to Low Traffic

Cross Reference

DESCRIPTION	PDQ	CAL ROYAL	CORBIN/RUSSWIN	DORMA	FALCON	HAGER	PRECISION	SARGENT	S PARKER	TELL	VON DUPRIN	YALE
RIM	4200R	2200	ED8200	8300	19 R	4700 Rim	5100	2828	UL520	8300	22	2100
SURFACE VERTICAL ROD	4200V	2260	ED8400	8400	19 V	4700 SVR	5200	2727	520V	8400	2227	2110

Door Closers

Typical Applications

- Senior Living
- Higher Education
- High Use/High Abuse Situations
- K-12 Education
- Military and Government
- Multi-family
- Offices
- Public Buildings

Cross Reference

MANUFACTURER	CLOSER SERIES				
	INSTITUTIONAL	COMMERCIAL	COMMERCIAL	COMMERCIAL	LIGHT COMMERCIAL
PDQ	7100	5500	5300	5100	3100
CAL ROYAL	CR441	CR801	CR801S	900	300
CORBIN/RUSSWIN®	DC8000	DC6200	DC3200	N/A	N/A
DORMA	8900	8616FC	8616	7414/7436	3800
FALCON	SC70	SC850FC	SC80	SC60/SC61	SC60
HAGER	5100	5200	5200	N/A	5300 LESS COVER
STANLEY COMMERCIAL	QDC100	QDC200F	QDC200S	N/A	QDC300
LCN®	4040	1460/1461	1460/1461	1370	1260
NORTON®	7500	8500	8300	160	1600
SARGENT®	281	350	1430	1130/1131	1130
STANLEY	D-4550	D-3550	N/A	N/A	D-1650
YALE	5800/4400	3500	3300	51	50

Commercial Hinges

Cross Reference

HINGE DESCRIPTION	PDQ	ANSI	BOMMER	HAGER	MCKINNEY	PBB	STANLEY
Plain Bearing, Standard Weight – Steel	35STPL	A8133	5000	1279	T2714	PB81	F179
				EC1100	MP79		
2 Ball Bearing, Standard Weight – Steel	35STBB	A8112	BB5000	BB1279	TA2714	BB81	FBB179
				ECBB1100	MPB79		
2 Ball Bearing, Standard Weight – Stainless Steel	35SSBB	A5112	BB5002	BB1191	TA2314	BB51	FBB191
				(630/32D)	(630/32D)		
4 Ball Bearing, Heavy Weight – Steel	35STHB	A8111	BB5004	BB1168	T4A3786	4B81	FBB168
				ECBB1102	MPB68		
4 Ball Bearing, Heavy Weight – Stainless Steel	35SSHB	A5111	BB5006	BB1199	T4A3386	4B51	FBB199
				ECBB1103	MPB68		
Spring Hinge, Self Closing – Steel	35STSH	K8107-1F	LB4310C	1250	1502	SP81	2060R
				EC1105	MPS60		

Typical Applications

- Hospitality
- Light Commercial
- Multi-family

Cross Reference

PDQ	HAFELE	HAGER	PEMKO
STS SERIES	FLATEC II SERIES	9432 SERIES	W60 SERIES
STS WITH SOFT CLOSE	N/A	N/A	W60 WITH CUSHION STOP



SECURING
CONFIDENCE
OPENING
POSSIBILITIES

Phone: 800.441.9692

Tech Support: 833.273.7832

Email: help@pdqlocks.com

Headquarters: 2230 Embassy Drive, Lancaster, PA
17603 P.O Box 6426, Lancaster, PA 17607

Regional Distribution Centers: Lancaster, PA | Norcross,
GA | Kansas City, MO | Auburn, WA

Printed in the U.S.A.

LT9039-12-2022

© 2021 PDQ Industries

pdqlocks.com